Introduction to SCARfish

Andrea Marsella





Update on SWG Fish activities and possibile interaction among WGs

Chair: Ciaran Kelly
Co-chair: Andrea Marsella

ToR 2023-2026



- To forge a strong linkage between MS and AC Ministries in charge of activities in the aquatic domain related to the production and use of biological aquatic resources, including fisheries and aquaculture, and the European Commission (DG RTD, DG MARE, DG ENV)
- To ensure that R&I are effectively addressed between MS and AC, on a long-term basis, to achieve a costefficient system of R&I effort in the areas of sustainable fisheries and aquaculture aligned with the relevant policies, directives, and strategies
- To provide evidence-based information on R&I needs to advise R&I policymakers so that they can design and implement efficient and effective initiatives and policies at EU and national levels for sustainable fisheries and aquaculture
- To collate existing information and where necessary collect new information in the areas of foresight and common research agendas with other SCAR groups

Current activities



Fisheries dependent data as a tool for real-time advice Follow up to SCAR-Fish document of October 2022

Portfolio analysis on offshore wind energy impacts on aquatic environments and interactions with Aquaculture and Fisheries

Lot of work still on-going

Designed to address all relevant basin

Finalisation and soon published on website

Focus on envinromental impacts and space competition

RefreSCAR support

Establishing and strengthening connections with other SCAR CWGs and SWGs and stakeholders relating to the aquatic domain




Climate change within EU



Summer 2024

Anomalies and extremes in surface air temperature for June-August 2024 Data: ERA5 1979-2024 • Credit: C3S/ECMWF



Anomalies and extremes in surface air temperature for June–August 2024. Colour categories refer to the percentiles of the temperature distributions for the 1991–2020 reference period. The extreme ("coolest" and "warmest") categories are based on rankings for the period 1979–2024. Data source: ERA5. Credit: Copernicus Climate Change Service/ECMWF.

Seasonal average temperatures were predominantly above average over almost all of the continent, with record-high temperatures in southeastern Europe and northern Fennoscandia. In stark contrast, some regions in the western part of the continent, including lecland, Ireland, northern and western parts of the United Kingdom (which overall experienced its coolest summer since 2015), and southern Norway were cooler than average.

The seasonal averages largely reflect the temperature distribution observed in July and August, while in June, a comparably larger area of western Europe experienced colder-than-average temperatures.

Parts of Europe saw substantial heatwaves during the summer. For example, in June, southern Italy, southeastern Europe and Türkiye were impacted by a heatwave, with temperatures reaching 40°C in many locations, and local temperature records broken. In July, heatwaves affected Italy, Greece, and Bulgaria, while in August, much of southeastern Europe, including Italy, Portugal, and Spain, experienced similar conditions. For more information on monthly variations in temperature anomalies, see the monthly bulletins of June, July and August.

 $The \ effect \ of \ the \ heatwaves \ is \ reflected \ in \ an \ above-average \ number \ of \ \underline{'warm \ daytimes'} \ over \ much \ of \ Europe \ throughout \ summer.$


https://climate.copernicus.eu/c3s-seasonal-lookback-summer-2024#:~:text=Data%20source%3A%20ERA5.-,Credit%3A%20Copernicus%20Climate%20Change%20Service%2FECMWF.,%C2%80C%20from%20July%202023.

Climate change within EU





- Increased water temperatures severely impacted aquaculture and fisheries in the Mediterranean
 - · Mortalities related to environmental parameters
 - · Shift in distribution of wild aquatic animals
 - Several disease outbreaks in both farmed and <u>wild</u> <u>fish</u>



Climate change within EU



- Climate change has been addressed by several international and European institutions and frameworks (EU Green deal, Horizon 2020 etc.)
- Several SCAR CWGs and SWGs have identified the climate change as one of the priority topics







новденьсцы должный можемы мож

Type disclos: HORIZON Innovation Actions Nombre differes: Two steps Date discussions: 17 disclose 2023 Date de cilitares 1: 22 fevries: 2024 17:00 Date de cilitares 2: 17 septembre 2004 17:00 Date de cilitares 2: 17 septembre 2: 17 septemb Call: fail, healthy and eminormentally-friendly food systems, from primary production to consumption. Call Identifier: HORIZON CIS-2024 ASSHQPOIN.02

Future activities and collaborations



- Who and from which perspective is dealing with climate change within EU?
- Are all involved institutions and stakeholders interconnected?
- Are aquaculture and fisheries taken into account in relation to climate change?
- What are gaps and needs of climate change adaptation plans for aquaculture and fisheries?
- Are effects of climate change on aquatic animal diseases sufficiently monitored?
- Are R&I outputs sufficiently transferred to the policy/industry level?





Study or portfolio analysis in cooperation with other SCAR groups





Thank you for your attention



Coffee Break until

Invited talk: Diagnostics of virosis

Antonio Lavazza IZSLER, IT

SCAR Animal Health & Welfare Research CWG Plenary meeting, 10 December 2024 Ministry of Health Rome, 10th December 20124





Antonio LAVAZZA

Retired - Former responsible for the Virology Unit and the Animal Health and Welfare Department Istituto Zooprofilattico Sperimentale della Lombardia e dell'Emilia Romagna (IZSLER), Brescia, Italy

10/12/2024



Diagnostic tools



- The tools are there....
- We have to use them....
- And above all, knowing how to use them.....



.....with judgment, pertinence and competence!

10/12/2024 Antonio Lavazza 1:



The diagnostic meaning......









A correct interpretation of the results

A certain result







Activate alert systems, set corrective measures, direct and indirect (vaccination) mitigation and prevention measures, antiviral therapies.......





How should we approach the diagnosis?






- Open the mind
- Explore all possibilities
- Be inclusive

10/12/2024 Antonio Lavazza 11



It increases the level of confidence and accuracy of the result obtained



It allows to acquire important information on any induced viral disease



- properties of the identified virus in terms of viability, i.e. the infective capacity
- ► resistance/tenacity in the environment
- ► the ability to infect one or more species
- ► the presence of any reservoir species, intermediate hosts or vectors
- ► the methods of dissemination and transmission, etc.



The diagnostic approach (2)



The identification of a whole virus or its traces (genome or antibodies)

- it is not, as often happens, a mechanical and repetitive action
- in which the samples are "processed" in a mentally aseptic way
- often without information on their origin and characteristics
- and just as "ignorantly" processed by high-performance machines, with high analytical sensitivity but certainly not "thinking"
- ▶ it is a meticulous process
- which follows precise rules
- assisted by a reasoned approach
- deriving from basic knowledge of clinics, epidemiology, pathology, etc

10/12/2024 Antonio Lavazza 1



The anamnesis



• regardless of the diagnostic method(s) you intend to use

• indeed, precisely to define which is/are the most suitable for the purpose





owners (pets)



hunters, naturalists, zoophile provincial guards, rehabilitation centres etc (wild animals)



Data, whether individual, collective or environmental Disease course: onset, clinical course, symptoms

Age of infected animals, species involved

Morbidity, mortality Climate, farm equipment and structures conditions, treatments, translocations, etc Information acquired during the necropsy (lesions, anomalies, dating of death, etc.).

Most correct diagnoses depend on from an accurate anamnestic data collection!



The "quality" of the sample



For accurate virological diagnosis, it is important to consider:

- ▶ the origin, timing and characteristics of the sampling
- ▶ the facility for collection of materials
- ▶ the methods of storage and transport of samples

It is therefore necessary that:

- ▶ the sampling is accurate and aimed at the diagnostic suspect
- ▶ the sample is representative (high viral titer), preferably in the acute phase (viremia). Hyperthermia is a highly indicative sign
- ► the material is protected from physicochemical damage (excess T°C, extreme pH, disinfectants, light, irradiation and drying)
- ► the samples are stored adequately during transport (better if frozen) and delivered to the laboratory as soon as possible



10/12/2024 Antonio Lavazza 15



Diagnostic procedure



In the absence of a diagnostic hypothesis, for the samples taken:



intra-vitam (feces, blood, swabs, urine, saliva, secretions, exudates, scabs, papules, vesicles, nodules, hairs, feathers, etc..)

post-mortem during necropsy (tissues, organs, intestinal contents, body fluids, blood, etc.)



Broad-based diagnostic approach

Virological

Bacteriological


Parasitological

Chemicaltoxicological



Working scheme in virological diagnosis







10/12/2024

Diagnosis of new and/or unknown viruses



TARGETED METHODS FOR DIAGNOSIS

Antonio Lavazza

- Almost all virological methods, whether direct or indirect, are based on the principle of exclusion/confirmation of a given viral agent
- Diagnosis targeted from time to time against one or more known pathogens (possibly also at the level of the viral family)
- ▶ Although multiplex molecular or multiarray methods (which identify a large number of viruses with a single test) can be used simultaneously or in series, it is not always possible to identify unknown, unsuspected or completely new viruses






Diagnosis of new and/or unknown viruses



«CATCH ALL» METHODS FOR DIAGNOSIS





A metagenomics approach can be used for diagnostic purposes, with consequent still possible difficulties in interpreting the results




Use of classical methods such as isolation on cell culture and/or embryonated eggs for cultivable viruses only, and electron microscopy with negative staining methods

10/12/2024 Antonio Lavazza 2



The added value in virological diagnostics





- 1. To be able to modulate the use of all these methods
- 2. To have the technical-logistical possibility of being able to apply them all in a single laboratory

10/12/2024 Antonio Lavazza 24



And instead.....



There is Increasingly a tendency to favour a single or a few methods



- 1. for mere cost issues
- 2. to simplify and make the diagnostic outcome as quick as possible
- 3. to avoid investing in the training and knowledge of operators
- 4. to limit the number of them as much as possible in favour of advanced automation

10/12/2024 Antonio Lavazza 25



The current situation



The approach with molecular methods (real-time-PCR, Multiplex PCR, digital-PCR, WGS/NGS etc.) is becoming almost the norm in most diagnostic laboratories



The methods of
"classical virology"
(immuno-enzymatic
methods, in vitro
isolation, phenotypic
study of viruses,
morphological
identification by EM,
remain the privilege of
a few laboratories and
less and less the
subject of training and
education



The risk to avoid



Bioinformaticians, molecular biologists



Figures that are now most in demand to fill the deficit in processing and interpreting the meaning of the large amount of data produced with WGS/NGS approach systems,

"Classic" virological diagnosis technicians



Figures capable of recognising a cytopathic effect, developing, validating and standardising an ELISA method, and observing and identifying a virus at the EM based on its shape, size and appearance.

10/12/2024 Antonio Lavazza 2



Negative staining Electron Microscopy (nsEM)



Is it still a method with potential use in virological diagnosis?


It allows us to

- 1. quickly acquire diagnostic indications, even for non-cultivable viruses, present in association or unknown (Catch-all method)
- 2. be a complement to the virologist for a quick referral to further diagnostic tests from infected cultures with or without cytopathic effect
- 3. plan fixative interventions on necropsy and biopsy samples for both optical and electron microscopy
- give indications for further investigations (e.g. genetic and molecular characterisation of viruses, pathogenesis of infections and disease epidemiology)

Drawbacks

- 1. Limited to a few labs
- 2. Variable sensitivity depending on the preparation method used (at least 10³ particles/ml)
- 3. Not suitable for viruses that do not have peculiar morphological characteristics
- 4. Identical morphology within the same family (overcome with ImmunoEM)







Virtuous behaviour/approach to diagnosis.....(1)







Modern molecular and complete genome sequencing methods benefit the entire diagnostic process by:

- the greater sensitivity
- the automation and standardisation of processes
- the ease of reading and interpreting the data (at least diagnostic PCR)



They can provide us with additional information that goes beyond the mere diagnosis, such as:

- the determination of pathogenicity (e.g. HPAI)
- the distinction between vaccine and field strains (deleted viruses)
- the geographical origin and temporal genesis in evolutionary terms (phylogeography and molecular clock)
- the presence in the individual strains of evolutionary mechanisms (mutation, reassortment and recombination phenomena, etc.)



Virtuous behaviour/approach to diagnosis.....(2)



...... projecting the mind into the future while keeping a look into the past

Knowing how to combine these methods with a "classic" approach offers the virologist the opportunity to:

- opening the mind to broader possibilities of making diagnoses,
- going beyond the mere initial suspicion,
- sometimes making imponderable and unexpected discoveries.



10/12/2024 Antonio Lavazza



The current global context



is characterised by an increased «mobility» of viruses and bacteria and their vectors or vehicles of transmission.....

....as an effect of the globalisation process, climate change, habitat reduction and modification, social, environmental, political and economic changes



international travels

Transboundary animal diseases (TADs), originally confined to tropical countries, are on the rise worldwide

More and more often, we are facing the occurrence of spillovers from wild reservoirs to domestic animals and humans


Significant increase in the number of incidents and alerts for viral diseases that subject public and animal health to constant and serious threats



Focus on.....











• Attention to the role of **peri-urban wild animals** (hedgehogs, rats, bats, birds, etc.) as carriers and vectors of viral infections





 Role of minor and invasive domestic and wild animal species in the epidemiology of epidemic and zoonotic infections






 Use of on-site tools (e.g. lateral flow, swabs with superior elution efficiency and high conservation properties) for testing and sampling in a more straightforward manner also under challenging conditions and for sending samples remotely



10/12/2024 Antonio Lavazza 33






Conclusions....(2)



Only with this approach can we become more confident and ready....

in the early detection of viral pathogens, even emerging or re-emerging unknown ones

in the implementation of efficient alert systems and networks



in the application of surveillance and control measures (which also extend to the wild)

in the correct definition of biosecurity measures and prophylaxis, mitigation, and eradication

which are all necessary as effective tools for prevention, control and eradication

10/12/2024 Antonio Lavazza 35



TAKE HOME MESSAGE: The «BASS» diagnostic approach



Broad
Affordable
Simple & Speedy
Smart (Specific & Sensitive)

10/12/2024 Antonio Lavazza 3



The Socratic paradox


"Surely I am wiser than this man; even if perhaps neither of us knows anything at all, but the difference between us is that he believes he is wise even if he knows nothing at




Antonio Lavazza (alavazza0@gmail.com)

Invited talk: Artificial Intelligence and AH&W

Alasdair Cook, University of Surrey, UK







WHAT IS ARTIFICIAL INTELLIGENCE (AI)?





- Al is an umbrella term for technologies that simulate human intelligence
 - All current Al capabilities are <u>narrow</u> trained to perform single tasks
 - Generative AI creates realistic new content from vast training data
 - Artificial General Intelligence (AGI) is a theoretical concept in which models learn to conduct new tasks without human engagement
- Machine Learning uses algorithms to identify patterns in data without explicit programming
 - Supervised learning predicts outcomes from labelled data eg images
 - Unsupervised learning analyses unlabelled data (eg clustering)
 - Reinforcement learning uses trial and error to maximise rewards (eg gaming)
- Large Language Models (LLMs) are generative AI tools that use neural networks and train on text data to deliver human-like language

USING GENERATIVE AI Q: How often do you use generative AI tools (such as ChatGPT) at work? I use them every day I use them more than once a week I use them occasionally Never Respondents who study AI Respondents who use AI in research Respondents who don't use AI in research

SCOPUS: (ARTIFICIAL AND INTELLIGENCE) AND (ANIMAL AND WELFARE)







WHY USE ALIN RESEARCH? THE FOUR VS





Value

Transformation of raw data into actionable insights eg optimising operations, enhancing decision-making, driving innovation

Delivering a positive Rol, aligned with goals



Velocity

Al can generate, process and analyse data at a previously unimaginable speed and efficiency



Volume

Al demands and uses vast amounts of data

Requires efficient data storage, management & accessibility; data assurance




Veracity

Validity, quality, accuracy & trustworthiness of data

- Rubbish in, Rubbish out
- Bias in training data, misrepresentation
- Incomplete, inconsistent or falsified data
- · Integrity/ repeatability

AI APPLICATIONS IN ANIMAL HEALTH









https://www.who.int/multi-media/details/one-health-definition



REVERSE VACCINOLOGY AND ARTIFICIAL INTELLIGENCE





Process Biochemistry journal homepage: www.elsevier.com/locate/procbio




An in silico reverse vaccinology study of Brachyspira pilosicoli, the causative organism of intestinal spirochaetosis to identify organism of intestinal spirochaetosis, to identify putative vaccine candidates

Myron Christodoulides $^{h,^a}$, Daysiane de Oliveira b , David W. Cleary h,c , Maria Victoria Humbert a , Ricardo A. Machado-de-Ávila b , Roberto M. La Ragione d

16 DII. (s. de Pio-Graduação em Clências da Saide, Universidade do Extremo Sul Catarinense, Criciáma, 88806 000 Santa Catarina, Brazil Inhumpton Biomedical Research Carme, University Hughail Southampton WIR Foundation Trust, Southampton, UK et Publicalge and Infectious Diseases, School of Verterinsy Medicine, Faculty of Institute and Medical Sectionse, University of Surrey, Guildford, England GU2





USE OF ARTIFICIAL INTELLEGENCE TO IMPROVE ANTIBIOTIC STEWARDSHIP



> IEEE/ACM Trans Comput Biol Bioinform. 2022 Feb 7;PP. doi: 10.1109/TCBB.2022.3148577. Online ahead of print.


Rectified Classifier Chains for Prediction of Antibiotic Resistance from Multi-labelled Data with Missing Labels

ukunthan Tharmakulasingam, Brian Gardner, Roberto La Ragione, Anil Fernando MID: 35130168 DOI: 10.1109/TCBB.2022.3148577 Download PDF

IEEE Access

RESEARCH ARTICLE

TransAMR: An Interpretable Transformer Model for Accurate Prediction of Antimicrobial Resistance Using Antibiotic Administration Data









THE USE OF ALTO IMPROVE RAPID PATIENT-SIDE DIAGNOSTICS







Patient-side test for AMR and pathogens in 15 minutes

<u>J Vet Diagn Invest.</u> 2014 Jan;26(1):42-8. doi: 10.1177/1040638713516758. Epub 2014 Jan 7.

Design and application of a loop-mediated isothermal amplification assay for the rapid detection of Staphylococcus pseudintermedius.

<u>Diribe O¹, North S, Sawyer J, Roberts L, Fitzpatrick N, La Ragione R.</u>

VIDIIA Hunter: a low-cost, smartphone connected, artificial smartphone connected, artificial applied diagnostic platform approved for medical use in the UK

pseudintermedius pyoderma in dogs M Pirolo ¹, M Menezes ¹, M Poulsen ¹, V Sandergaard ¹, P Damborg ¹, A C



Research in Veterinary Science Volume 102, October 2013, Pages 162-166

Rapid culture-independent loop-mediated isothermal amplification detection of antimicrobial resistance markers from environmental water samples

r Insuland State. 2021. Into 1867/19691. doi: 10.3386/insul.2021.744641. colonistics 2021.

Development of Loop-Mediated Isothermal
Amplification Rapid Diagnostic Assays for the

Detection of

Klebsiella pneumoniae and Carbapenemase

Genes in Clinical Samples


Amplies Amplies Amplies

100 m

MAKING THE INVISIBLE VISIBLE























Ensuring sustainability of pig farming with automated machine vision and VOC monitoring



















Behaviour and growth













Artificial Intelligence Summary



	MEI	EVA	JOY
Data type	Behavioural data (Innovent)	VOC data (roboscientific)	Tracking data + VOC + environmental
Machine choice	Recurrent Neural Network (RNN)	Multilayer Perceptron (MLP)	Decision Tree
Input Data	Event-seconds (updated 5m)	13 features per VOC curve (updated 24h)	12 features (6 track, 3 VOC, 3 env) (updated 15m/24h/15m)
Results:	Intervention detection times: Bedding: 35-75 minutes Drinker off: 65-110 minutes	F1 score = 0.69	F1 score = 0.80 Disease: 45-120 minutes Bedding: 60-90 minutes




Artificial Intelligence Roadmap

Goal: receive data from multiple modalities, use AI and statistical analysis to gain an understanding of pig behaviour in pens.


EVA, MEI and JOY can receive data from the data sources in real time and continually update.

- $\circ \mbox{``Disease signs''}$ detected within 6 hours of vaccinations.
- $\circ\mbox{Behavioural}$ disruption (new bedding) detected within 8 hours





Using AI to Map Changes Associated with Pain in the Cavalier King Charles Spaniel



















DIGITAL PATHOLOGY - NECROSIS DETECTION


Patch-based Deep Learning image classification








a) Bottleneck Feature Extraction Using DenseNet-161






https://www.ema.europa.eu/en/events/fourth-veterinary-big-data-stakeholder-forum

EU Vet Data Hub

EMA veterinary analytics







https://www.camcar.astrazeneca.com/en/our-therapyareas/medicines-life-cycle.html



From Data to Information to Actionable Insights & Solutions



Improved Animal Health

There are two key gaps in


research:

translating ideas from
basic and clinical
research into the
development of new
products and approaches
to treatment

the translation of health

 implementing those new products and approaches into clinical practice.
 Sir David Cooksey, Review

Sir David Cooksey, Review on human health research funding



Regional economic benefit

Bringing expertise from human medical research, health informatics, 'omics and diagnostics development.

Our incubator enables (collaborative) commercialisation



Impact For Zoetis And The UK



vHive and Impact: AI and Informatics



Stratified medicine



Clinical informatics



Population epidemiolog



Veterinary informatics



Big Data analytics



Systems Medicine Clinical data

Health data

'Omics & molecular data

Actionable Al

- Outcome prediction
- Decision making
- Biomarker discovery
- Patient stratification
- Public health
- Digital health applications

Al for Big Health Data

- Al to deliver better research
- Data integration
- Multi-omic approaches
- Applications in large, public resources

Responsible, Transparent Al

- Stakeholder and public engagement
- Novel, transparent approaches
- Training and education

Nophar Geifman

Challenges in the use of AI

- Halo Effect- Outputs may appear to have an exaggerated value; blind trust can lead to overlooking errors or biases.
- **2. Hallucination** Al systems, especially generative models, can produce false or nonsensical information with high confidence.
- **3. Bias** Al models inherit biases present in training data, potentially reinforcing stereotypes or inequalities.
- **4.** Lack of Explainability Black Box.
- 5. Data Quality and Quantity Al depends on large, high-quality datasets, but real-world data may be noisy, incomplete, or biased.
- **6. Ethical Concerns** Privacy, malicious purposes (e.g., fake news, bioweapons),lack of accountability and lack of societal trust
- 7. Energy Consumption
- 8. Cybersecurity
- Regulatory and Legal Challenges Rapid development outstrips policy and regulation
- 10. Culture and education



THE IMPOSSIBLE STREETS OF AI

The ability to build representations of our environment, called world models, helps humans to reason and plan. It is thought that it systems will need this capacity, too, if they are to develop human-level intelligence. In the case of an Al system that was trained to predict routes taken by taxis in Manhattan, New York, its internal map did not resemble the real world. In later testing, this led to an inability to handle detours that was not present in the training that.



Conclusions



- Science is producing previously unimaginable amounts of data and advances in AI are essential to utilise this for new insights
- Progress must be underpinned by a strong ethical framework and transparent governance
- Research data should be 'findable, accessible, interoperable and reusable' (FAIR)
- The rapid rate of progress means mistakes will happen, too
- · Despite the apparent rush, adoption in veterinary research lags behind other fields
- What are the implications for research funding models? Can we be nimble and agile in slow-moving bureaucratic systems & institutions?
- · Al is increasing the efficiency of administrative and management functions, freeing time and reducing costs
- Al won't replace researchers but researchers who don't use Al may be replaced!
- "If we lose trust in primary scientific literature, we have lost the basis of humanity's corpus of common shared knowledge" https://www.nature.com/articles/d41586-023-02988-6

Acknowledgements



Surrey DataHubSchool of Veterinary MedicineKevin WellsRoberto La RagioneTaran RaiClare RusbridgeGeorgina CherryMark ChambersTravis StreetAnil FernandoJake ClumberMukunthan Tharmakulasingham

vHive Arnoud van Vliet
Tony Whetton Jai Mehat
Nophar Geifman Dan Horton
Anna Wildner Noel Fitzpatrick
Hannah Rideout Aurore Poirier
Ellie Telling Onyi Diribe

Onyi Diribe Anil Fernando Ambra Morisi Brian Garder Andy Wales



Casey Woodward Oliver Boucher









AOB and conclusions of the meeting

Hein Imberechts

- Many thanks to Brid and Órlaith from the RefreSCAR project for the support!
- Next meeting: an option could be Poland: Warsaw or Cracow.
 - Action: please comment!